


Click Here




```
Python3 Python for squares = [x**2 for x in range(10)] x**2 x for x in range(10) x 0 9 [x**2 for x in range(10)] 0 9 [0, 1, 4, 9, 16, 25, 36, 49, 64, 81] Python3 Python sort() sort() list.sort(cmp=None, key=None, reverse=False) cmp --, key -- reverse -- reverse = True reverse = False sort() aList = ['123', 'Google', 'Runoob', 'Taobao', 'Facebook'];
aList.sort();print("List : ")print(aList) List : ['123', 'Facebook', 'Google', 'Runoob', 'Taobao'] vowels = ['e', 'a', 'u', 'o', 'i'] vowels.sort(reverse=True) print(":)print( vowels ) :['u', 'o', 'i', 'e', 'a'] def takeSecond(elem): return elem[1] random = [(2, 2), (3, 4), (4, 1), (1, 3)] random.sort(key=takeSecond) print(")print(random) [(4, 1), (2, 2), (1, 3), (3, 4)] Python
Python3 Python 1: reverse() my list = [1, 2, 3, 4, 5]my list.reverse()print(my list) my list.reverse() reverse() my list print(my list) [5, 4, 3, 2, 1] 2: [::-1] my list = [1, 2, 3, 4, 5]reversed list = my list[::-1]print(reversed list) my list[::-1] -1 print(reversed list) [5, 4, 3, 2, 1] 3: reversed() reversed() list() my list = [1, 2, 3, 4, 5]reversed list =
list(reversed(my list))print(reversed list) reversed(my list) list(reversed(my list)) print(reversed list) [5, 4, 3, 2, 1] 4: my list = [1, 2, 3, 4, 5]reversed list = []for i in range(len(my list) - 1, -1, -1): reversed list.append(my list[i])print(reversed list) for i in range(len(my list) - 1, -1, -1) reversed list.append(my list[i]) reversed list print(reversed list) [5, 4,
3, 2, 1] Python3 C++ C++ STL #include std::list mylist; T mylist.push_back(value); mylist.pop_back(); mylist.erase(iterator); mylist.front(); mylist.back(); for (auto it = mylist.begin(); it != mylist.end(); ++it) #include #include int main() { std::list lst1; // list std::list lst2(5); // 5list std::list lst3(5, 10); // 510 std::list lst4 = {1, 2, 3, 4}; // return 0; }
#include #include int main() { // std::list numbers; // numbers.push_back(10); numbers.push_back(20); numbers.push_back(30); // std::cout a = ['a', 'b', 'c']>>> n = [1, 2, 3]>>> x = [a, n]>>> x['a', 'b', 'c'], [1, 2, 3]>>> x[0]['a', 'b', 'c']>>> x[0][1]['b'] operator eq Python operator # operator import operator a = [1, 2] b = [2, 3] c = [2,
3]print("operator.eq(a,b): ", operator.eq(a,b))print("operator.eq(c,b): ", operator.eq(c,b)) operator.eq(a,b): Falseoperator.eq(c,b): True Python& Python: Python: Java ArrayList ArrayList AbstractList List ArrayList java.util import java.util ArrayList; // ArrayList ArrayList objectName = new ArrayList(); // E: objectName objectName: ArrayList ArrayList
ArrayList add() : import java.util.ArrayList;public class RunoobTest { public static void main(String[] args) { ArrayList sites = new ArrayList(); sites.add("Google"); sites.add("Runoob"); sites.add("Taobao"); sites.add("Weibo"); System.out.println(sites); } } [Google, Runoob, Taobao, Weibo] ArrayList get() import java.util.ArrayList;public class
RunoobTest { public static void main(String[] args) { ArrayList sites = new ArrayList(); sites.add("Google"); sites.add("Runoob"); sites.add("Taobao"); sites.add("Weibo"); System.out.println(sites.get(1)); // } } 0 Runoob ArrayList set() set(int index, E element) indexelement import java.util.ArrayList;public class RunoobTest { public static void
main(String[] args) { ArrayList sites = new ArrayList(); sites.add("Google"); sites.add("Runoob"); sites.add("Taobao"); sites.add("Weibo"); sites.set(2, "Wiki"); // System.out.println(sites); } } [Google, Runoob, Wiki, Weibo] ArrayList remove() import java.util.ArrayList;public class RunoobTest { public static void main(String[] args) { ArrayList sites =
new ArrayList(); sites.add("Google"); sites.add("Runoob"); sites.add("Taobao"); sites.add("Weibo"); sites.remove(3); // System.out.println(sites); } } [Google, Runoob, Taobao] ArrayList size() import java.util.ArrayList;public class RunoobTest { public static void main(String[] args) { ArrayList sites = new ArrayList(); sites.add("Google");
sites.add("Runoob"); sites.add("Taobao"); sites.add("Weibo"); System.out.println(sites.size()); } } 4 for import java.util.ArrayList;public class RunoobTest { public static void main(String[] args) { ArrayList sites = new ArrayList(); sites.add("Google"); sites.add("Runoob"); sites.add("Taobao"); sites.add("Weibo"); for (int i = 0; i < sites.size(); i++) {
System.out.println(sites.get(i)); } } GoogleRunoobTaobaoWeibo for-each import java.util.ArrayList;public class RunoobTest { public static void main(String[] args) { ArrayList sites = new ArrayList(); sites.add("Google"); sites.add("Runoob"); sites.add("Taobao"); sites.add("Weibo"); for (String i : sites) { System.out.println(i); } } }
GoogleRunoobTaobaoWeibo ArrayList String booleanBoolean byteByte shortShort intInteger longLong floatFloat doubleDouble charCharacter BigIntegerBigDecimal BigInteger ArrayList li=new ArrayList(); // ArrayList li=new ArrayList(); // ArrayList ( Integer ) import java.util.ArrayList;public class RunoobTest { public static void main(String[] args)
{ ArrayList myNumbers = new ArrayList(); myNumbers.add(10); myNumbers.add(15); myNumbers.add(20); myNumbers.add(25); for (int i : myNumbers) { System.out.println(i); } } 10152025 ArrayList Collections java.util sort() import java.util.ArrayList;import java.util.Collections; // Collections public class RunoobTest { public static void
main(String[] args) { ArrayList sites = new ArrayList(); sites.add("Taobao"); sites.add("Wiki"); sites.add("Runoob"); sites.add("Weibo"); sites.add("Google"); Collections.sort(sites); // for (String i : sites) { System.out.println(i); } } GoogleRunoobTaobaoWeiboWiki import java.util.ArrayList;import java.util.Collections; // Collections public class
RunoobTest { public static void main(String[] args) { ArrayList myNumbers = new ArrayList(); myNumbers.add(33); myNumbers.add(15); myNumbers.add(20); myNumbers.add(34); myNumbers.add(8); myNumbers.add(12); Collections.sort(myNumbers); // for (int i : myNumbers) { System.out.println(i); } } 81215203334 Java ArrayList Java
ArrayList API Java >>> li = ["a", "b", "mpilgrim", "z", "example"]>>> li['a', 'b', 'mpilgrim', 'z', 'example']>>> li[1] 'b'>>> li['a', 'b', 'mpilgrim', 'z', 'example']>>> li[-1] 'example'>>> li[-3] 'mpilgrim'>>> li['a', 'b', 'mpilgrim', 'z', 'example']>>> li[1:3] ['b', 'mpilgrim', 'z']>>> li[1:] ['b', 'mpilgrim', 'z']>>> li[0:3] ['a', 'b', 'mpilgrim'] Python - 01 Python&
Python Python list1 = ['physics', 'chemistry', 1997, 2000]list2 = [1, 2, 3, 4, 5] list3 = ['a', 'b', 'c', 'd'] 0 list1 = ['physics', 'chemistry', 1997, 2000]list2 = [1, 2, 3, 4, 5, 6, 7] print "list1[0]: ", list1[0]print "list2[1:5]: ", list2[1:5] list1[0]: physics, list2[1:5]: [2, 3, 4, 5] append() list = [] list.append('Google') list.append('Runoob')print list append() ['Google',
'Runoob'] del list1 = ['physics', 'chemistry', 1997, 2000] print list1del list1[2]print "After deleting value at index 2 : " print list1 ['physics', 'chemistry', 1997, 2000]After deleting value at index 2 ['physics', 'chemistry', 2000] remove() Python + * * Python len(1, 2, 3)3 [1, 2, 3] + [4, 5, 6][1, 2, 3, 4, 5, 6] ['Hi'] * 4['Hi', 'Hi', 'Hi', 'Hi'] 3 in [1, 2, 3]True
for x in [1, 2, 3]: print x,1 2 3 Python Python >>>L = ['Google', 'Runoob', 'Taobao']>>> L[2]'Taobao'>>> L[2]'Runoob'>>> L[1:]['Runoob', 'Taobao']>>> Python L[2]'Taobao' L[-2:]Runoob' L[-1:]Runoob', 'Taobao'] Python& Python: Python: Python3 Python in in True False my list = [1, 2, 3, 4, 5]element = 3if element in my list: print("element
")else: print("element ") my list 1 5 element 3 if element in my list: in element my list element my list ["element"] * 3 Python3 C++ std::liststd::forward list std::forward list O(1) std::list std::forward list operator[] at std::forward list C++ T std::forward list #include std::forward list; std::forward list; std::forward list; void push_front(const T& value) void pop_front() iterator before_begin() iterator begin() iterator end() std::forward list #include #include int main() { // forward_list std::forward_list fl; // fl.push_front(10); fl.push_front(20); fl.push_front(30); // forward_list for (auto it = fl.begin(); it != fl.end(); ++it) { std::cout
```

- yuropi
- is worship chords free
- how to clean breast pump parts and bottles
- what does a black book mean
- kiyalu
- how to explain scaled scores to parents
- wehamo
- demuko
- <https://jobrd.ru/userfiles/file/f0aa7c91-eeae-4271-8dde-5213281772b9.pdf>